GUIDE FOR SENDING EMAILS WITH SENECA RTUs

SENECA s.r.l.

Via Austria 26, PADOVA – ITALY

Tel. +39.049.8705355 – 8705359 Fax. +39.049.8706287

Web site: www.seneca.it

Customer service: supporto@seneca.it (IT), support@seneca.it (Other)

Commercial information: commerciale@seneca.it (IT), sales@seneca.it (Other)

This document is property of SENECA srl. Duplication and reproduction of its are forbidden (though partial), if not authorized. Contents of present documentation refers to products and technologies described in it. Though we strive for reach perfection continually, all technical data contained in this document may be modified or added due to technical and commercial needs; it's impossible eliminate mismatches and discordances completely. The content of this documentation is anyhow subjected to periodical revision. If you have any questions do not hesitate to contact our company or write to the above-mentioned email addresses.

MI00449-1.0.1.0-EN

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Date	Version	Changes
06/07/2016	1.0.0.0	First revision
22/06/2020	1.0.1.0	Fix Title Name

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

1. SENDING EMAILS WITH SENECA RTUS.....5

2. SENDING EMAILS WITH RTUS WITHOUT SECURE CONNECTION SUPPORT.....6

2.1. Use public SMTP servers where the use of SSL/TLS connections is not required 6

2.2. Use a corporate SMTP server 6

2.3. Use Stunnel 7

3. SENDING EMAILS USING GMAIL SERVER 9

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

ATTENTION!

IN NO CASE MAY SENECA OR ITS SUPPLIERS BE HELD LIABLE FOR ANY INCOMING DATA OR PROFIT LOSSES DUE TO INDIRECT, CONSEQUENTIAL OR INCIDENTAL CAUSES (INCLUDING NEGLIGENCE) CONNECTED WITH THE USE OR INABILITY TO USE THIS GUIDE, EVEN IF SENECA WAS INFORMED OF THE POTENTIAL OF THESE DAMAGES.

SENECA, ITS SUBSIDIARIES OR AFFILIATES OR GROUP PARTNERS OR DISTRIBUTORS AND SENECA DEALERS DO NOT GUARANTEE THAT THE FUNCTIONS FAITHFULLY MEET THE EXPECTATIONS AND THAT THIS GUIDE IS FREE OF ERRORS.


SENECA HAS TAKEN THE UTMOST CARE AND CAUTION IN DRAFTING THIS GUIDE. HOWEVER, IT MAY CONTAIN ERRORS OR OMISSIONS. SENECA SRL RESERVES THE RIGHT TO MODIFY AND/OR VARY PARTS OF THIS GUIDE TO CORRECT ERRORS OR TO ADJUST TO PRODUCT FEATURE CHANGES WITHOUT ANY PRIOR NOTICE.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

1. SENDING EMAILS WITH SENECA RTUs

The guide is intended to guide the user in the correct use of Seneca RTUs and mail servers.

With regard to Seneca RTUs, the following table can be drawn up:

PRODUCT	***SENDING EMAILS WITHOUT A SECURE CONNECTION***	***SENDING EMAILS WITH A SECURE CONNECTION***	***NOTES***
Z-TWS4	YES	YES (SSL/TLS1.2)	It is possible to send emails from SMTP servers that support SSL/TLS (e.g. gmail)
Z-PASS2-S	YES	YES (SSL/TLS1.2)	It is possible to send emails from SMTP servers that support SSL/TLS (e.g. gmail)
S6001-RTU	YES	YES (SSL/TLS1.2)	It is possible to send emails from SMTP servers that support SSL/TLS (e.g. gmail)
Z-GPRS3 (Ethernet)/Z-LOGGER3	YES	NO	It is possible to send emails only from SMTP servers without SSL/ TLS
Z-GPRS3 (modem GPRS)/Z-UMTS (modem 3G)/Z-LTE (modem 4G)	YES	YES (SSL/TLS1.2)*	(*) To send encrypted emails it is necessary to disable the PPP connection as shown in the figure:  It will therefore not be possible to access the TCP-IP Modbus and Webserver via the GPRS modem.
MyALARM2	YES	YES (SSL/TLS1.2)	It is possible to send emails from SMTP servers that support SSL/TLS (e.g. gmail)
Z-TWS11	YES	NO	It is possible to send emails only from SMTP servers without SSL/ TLS

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

2. SENDING EMAILS WITH RTUs WITHOUT SECURE CONNECTION SUPPORT

The following solutions are available to send emails with RTUs that do not support secure connections:

1) Use public SMTP servers where the use of SSL/TLS connections is not required
2) Use a corporate SMTP server
3) Use a server with Stunnel

2.1. Use public SMTP servers where the use of SSL/TLS connections is not required

These servers do not require an SSL/TLS connection and typically use port 25.

For more information it is strongly recommended to connect to the respective websites:

SMTP SERVER	*GATEWAY*
out.alice.it	25
smtp.email.it	25
smtp.live.com	25
mail.iol.it	25
smtp.libero.it	25
smtp.lycos.it	25
smtp.live.com	25
smtp.tele2.it	25

2.2. Use a corporate SMTP server

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

The most reliable solution is to use your company SMTP server and request access to your IT manager without a secure connection.

If you do not have a corporate SMTP server, you can use the "installation of an SMTP server" guide on Windows available on the RTU page of the Seneca website.

These solutions are suggested to get around the blocks imposed by public SMTP servers (maximum number of daily emails, spam etc ...).

2.3. Use Stunnel

It is possible to use an SMTP server that requires a secure connection even if the RTUs do not support it thanks to the Stunnel software.


Stunnel can be used in many operating systems, as far as Windows is concerned, the following is required:

Microsoft (32-bit and 64-bit editions)

- Windows Server 2012 / 2008 / 2003 / 2000
- Windows 10 / 8.1 / 8 / 7 / Vista / XP

The .exe file with the Stunnel installer can be downloaded from:

https://www.stunnel.org/downloads.html




LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Once installed, we need to make some small changes to the "stunnel.conf" configuration file that we find in the installation directory:

C:\Programmi\stunnel

The GMAIL SMTP configuration file is the following:



Now just configure the RTUs in the following way:

Email address: esempio@gmail.com

SMTP server: IP address of the PC where Stunnel is installed

Port: 25

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Account: esempio@gmail.com

Password: ******


The emails will be sent to Stunnel which will send them to the GMAIL mail server using the secure SSL connection.

3. SENDING EMAILS USING GMAIL SERVER

Sending emails using the Gmail SMTP server is only possible using a secure connection (SSL/TLS1.2 on port 465) or using Stunnel (refer to the chapter 2.3 for more information).


First of all, it is necessary to allow access from applications not using the OAuth 2 protocol otherwise the gmail server will not accept any emails sent by the RTUs.

To do this, log into gmail:




Click on "Personal Account":

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000




Click on App and connected sites:



And allow access to less secure apps:

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000


Less secure app access
Some apps and devices use less secure sign-in technology, which makes your account vulnerable. You can turn off access for these apps, which we recommend, or turn it on if you want to use them despite the risks. Google will automatically turn this setting OFF if it's not being used. Learn more
Allow less secure apps: ON